

Questionnaire to estimate the level (%) of the Safety of Users of Electricity in Dwellings in Countries

The Electrical Safety Barometer consists of 13 essential criteria. Each of these criteria has a weighting factor to enable the calculation of a general score for each country. Both FISUEL and world experts endorse these criteria and the weighting factors. With the assistance of local experts, we are applying the barometer in an increasing number of countries.

Explanation of the **13 major criteria** go to -->

<https://www.safetybarometer.org/criteria/>

Enter a number of the following criteria (1, 2, 3 or 4) in the yellow cells "column criteria"

4 = Fulfilled Criteria : existing criteria in your country (score 100%)
3 = Partially fulfilled Criteria : part of the criteria existing in your country (score 50%)
2 = Not met Criteria : criteria known but unapplied (score 10%)
1 = Unknown Criteria : criteria inexistent (score 0%)

Number of criteria	4 - Fulfilled	3 - Partially	2 - Unapplied	1 - Unknown	Level of Electrical Safety in Dwellings
	9	4	0	0	84%

Criteria	Question	Weight	Criteria	Score
Standards & rules	Are standards and rules in place?	10	4	10%
Comments : normes NF C 15 100 et NF C 16-600 -				
Initial verification	Is an initial inspection required?	10	4	10%
Comments : « articles D. 342.18 à -21 du Code de l'Énergie »,				
Periodic inspection	Is a periodic inspection required?	7,5	3	4%
Comments :				
Inspection report	Must there be proof of the inspection by the delivery of an inspection report?	5	4	5%
Comments : réalisé par Consuel				
Inspection for existing installations	Is there a mechanism for inspection of existing installations?	10	4	10%
Comments : DEO se base sur l'arrêté du 28 septembre 2017				
Inspector	Must the person carrying out the inspection be a qualified inspector?	7,5	4	8%
comments :				
Electrical contractor or installer	Must the electrical contractor or installer be a qualified person?	5	4	5%
Comments : partiellement				
Role of utilities	Does the electric utility only connect the installation after having received a positive inspection report?	10	4	10%
Comments : "Imposition de l'attestation de conformité visée par Consuel"				
Consumer education	Are consumers educated on the dangers of electricity?	5	3	3%
comments :				
Regulation	Is regulation in place that imposes standards for electrical installations and initial verification?	5	4	5%
Comments : Arrêté du 3 août 2016				
Labelling and certification	Are products in the market adequately labeled for electrical safety, and is this labeling system understood?	5	3	3%
Comments : marque NF volontaire et marquage CE obligatoire				
Role of manufacturers	Do manufacturers actively engage for electrical safety in the marketplace?	5	4	5%
Comments : oui				
Market surveillance	Is there adequate action on market surveillance from the authorities?	15	3	8%
Comments : existence de l'ASEC - Association Sécurité Electrique et Conformité membre de Fisuel				

	critères	France
1	Standards &	4
2	Initial verific	4
3	Periodic insp	3
4	Inspection r	4
5	Inspection fo	4
6	Inspector	4
7	Electrical co	4
8	Role of utilit	4
9	Consumer e	3
10	Regulation	4
11	Labelling and	3
12	Role of man	4
13	Market surv	3

